

DECEPTICON

LASERBEAK

Revision 1.1

Strength	Int.	Speed	Endurance	Rank	Courage	Firepower	Skill
5	6	8	5	6	2	8	9

Motto: "The only point I like in Autobots is their melting point!"

Function: Interrogation

Class: Cassette

Profile: An incredibly adept espionage agent, but noticeably not brave. Prefers to hunt down stragglers after a battle if put into conflict. Otherwise, easily slips into Autobot defenses to record their activities. Adept at extracting information from captured enemies. Prone to panic, particularly if his weapons fail.

Weapons: Laser Pistols.

INSTRUCTIONS

LASERBEAK

Setting Up: Print out the parts page and be sure to let the ink completely dry. Get out some white glue and a decent pair of scissors.

Head Assembly: Start by cutting the head and neck pieces. Fold the head into a box, and glue into shape. Fold the neck into a long prism, and glue into shape. Glue the rear of the head onto the center of one of the neck's sides so that it forms a 'T'. Allow to dry.

Cut out two chest pieces, fold both into boxes (there will be a gap in each box) and glue into shape. After letting them dry, slide one end each of the neck into each gap.

Cut out back piece. Fold in half and allow to dry. Glue the two chest pieces down onto the dark side of the back piece, at the wider end, so that the neck bar goes along the bottom. Allow to dry. The neck should swing freely, allowing the head to transform from the body.

Wing Assembly: Cut out the two shoulder pieces, then fold and glue into shape. Cut out the two arm-lock pieces, folding them and glu-

ing them into shape. Glue a shoulder onto one side, along the edge, of an arm lock piece. Repeat for the other pair.

Cut out wings. Fold into boxes. Before gluing into shape, tuck in a arm lock into the gap on the front side of each wing. Carefully glue wing into shape and allow to dry. Shoulder should slide freely within the wing.

Glue shoulders (with wings attached) to the front sides of the chest. (Be sure the graphics are lined up appropriately).

Body assembly: Cut out two mid-section pieces. Fold and glue into boxes, then glue to the back piece, just behind the chest pieces, leaving enough room for the head to tuck in comfortably in cassette mode.

Cut out Tail piece, fold and glue into a box (there will be a gap on each side). Glue Tail to rear of mid-section pieces so that the side gaps are all the way in back. Allow assembly to dry.

Cut out leg brace piece, fold and glue into a tri-

angular prism. Allow to dry, and then insert brace into the rear of the tail assembly.

Leg Assembly: Cut out the two leg pieces and fold and glue into cubes. Glue each leg piece to the sides of the leg brace that are sticking out. Leg pieces should rotate down freely.

Cut out Feet pieces and fold each in half and glue into shape. Glue feet to the leg piece so that the feet hug the inside of the body assembly while in cassette mode. Allow figure to dry.

Transformation: To Transform into condor mode, rotate legs down slightly. Rotate head from main body. Extend wings. To return to cassette

Paperformers (c)2003-2005 Neale Davidson

This is not a product officially created or maintained by Hasbro, Inc. Transformers™ and all related works are trademarks of Hasbro, Inc, Pawtucket, RI 02862, USA. All Rights Reserved. This guide is not intended to infringe upon these property rights of Hasbro, Inc, and has been established for entertainment purposes only.

